

FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A

PROCESSING FOR AUTOMATICALLY  
SETTING TRIMMING REGION

DETECT POSITION OF TOP-OF-HEAD POINT IN IMAGE

140

DETECT POSITIONS OF EYE PORTIONS IN IMAGE

142

ASSUME POSITION OF CHIN IN IMAGE BY POSITIONS  
OF TOP-OF-HEAD POINT AND OF EYE PORTIONS

144

COMPUTE LENGTH OF FACIAL REGION IN IMAGE

146

FETCH APPROPRIATE LENGTH RATIO OF OVERHEAD  
REGION, FACIAL REGION AND UNDER-JAW  
REGION IN TRIMMING REGION

148

COMPUTE APPROPRIATE LENGTHS OF OVERHEAD  
REGION AND UNDER-JAW REGION IN  
TRIMMING REGION

150

COMPUTE Y DIRECTION LENGTH OF TRIMMING REGION

152

DESIGNATE Y DIRECTION POSITION OF TRIMMING  
REGION BASED ON POSITION OF TOP-OF-HEAD  
POINT AND APPROPRIATE LENGTH OF OVERHEAD  
REGION

154

B

FIG. 3B





FIG. 4

**TRIMMING**



HORIZONTAL: 300pix VERTICAL: 400pix

☒ GRADATION CORRECTION  
☐ STANDARD ☐ CLOSE FLASH ☐ CLOUDY

☒ AUTOMATIC CORRECTION  
☐ YES ☐ NO

**TRIMMING METHOD**

☐ MANUAL TRIMMING
 ☒ AUTOMATIC TRIMMING

**CLEAR FRAME**

**SELECT TYPE OF IDENTIFICATION PHOTOGRAPH**

**COLOR/SETTING OF NUMBER OF PRINTS**

COLOR 
 MONO-  CHROME

**ENLARGEMENT/REDUCTION OF IMAGE**

**FRAME SHIFT**

FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 6E

	BRIGHT		
BRIGHT	DARK	BRIGHT	BRIGHT
	BRIGHT		

FIG. 6F

		BRIGHT	
BRIGHT	BRIGHT	DARK	BRIGHT
		BRIGHT	

FIG. 6G




FIG. 6H






FIG. 7







FIG. 8

72A

LAYOUT

  
24x30

  
35x45



2000.11.06 DSC ID PHOTO

PRINT SIZE: 89 x 127mm RESOLUTION: 300 dpi PAGE: 1/1

IDENTIFICATION PHOTOGRAPH SIZE

☐ JUST SIZE ☐ A LITTLE LARGER

DISTANCE BETWEEN IDENTIFICATION PHOTOGRAPHS

☐ 1mm ☐ 3mm ☐ 5mm

SECTION

☐ SELECTED IMAGE ☐ SIZE ☐ COLOR

PRINT

☒ DATE ☒ SIZE ☒ COMMENT

72B

72C

72D

72E

72F

PREVIOUS PAGE

NEXT PAGE

CLEAR

CANCEL

CONTINUE

STOP

PRINT

FIG. 9

